

Course References

1. 6th Edition (2008): Ingle, J. I., Bakland, L. K., & Baumgartner, J. C. (Eds.). *Ingle's Endodontics 6*. BC Decker
2. Abu Haimed AS, Abuhaimed TS, Dummer PE, Bryant ST. The root canal shaping ability of WaveOne and Reciproc versus ProTaper Universal and Mtwo rotary NiTi systems. *SaudiEndod J.* 2017;7:8-15.
3. Bader HI. Planificación del tratamiento para implantes versus terapia de conducto radicular: un dilema contemporáneo. *Implant Dent* 2002; 11: 217–23.
4. Berutti E, Paolino DS, Chiandussi G, Alovise M, Cantatore G, Castellucci A, et al. Root canal anatomy preservation of WaveOne reciprocating files with or without glide path. *J Endod.*2012;38:101-4.
5. Bürklein S, Hinschitzka K, Dammaschke T, Schäfer E. Shaping ability and cleaning effective-ness of two single-file systems in severely curved root canals of extracted teeth: Reciproc andWaveOne versus Mtwo and ProTaper. *IntEndod J.* 2012;45:449-61.
6. Caballero-Flores H, Nabeshima CK, Binotto E, Machado MEL. Fracture incidence of instru-ments from a single-file reciprocating system by students in an endodontic graduate pro-gramme: a cross-sectional retrospective study. *Int Endod J.* 2019;52:13-8.
7. Caplan DJ, Weintraub JA. Factores relacionados con la pérdida de los dientes llenos del conducto radicular. *J Public Health Dent* 1997; 57: 31–9.
8. Cavalcante DM, De-Deus G, Belladonna FG, Simoes-Carvalho M, Carvalhal JCA, Souza EM, et al. Do pre-existing microcracks play a role in the fracture resistance of roots in a laboratory setting? *Int Endod J.* 2020;53(11): 1506-15.
9. Coffae KP, Brilliant JD. The effect of serial preparation versus nonserial preparation on tissue removal in the root canals of extracted mandibular human molars. *J Endod.* 1975 Jun;1(6):211-4. doi: 10.1016/S0099-2399(75)80199-3. PMID: 10697471.
10. Cunha RS,JunaidA,Ensinas P,Nudera W,Bueno CE.Assessment of the separation incidence of reciprocating WaveOne files: a prospective clinical study. *J Endod.* 2014;40:922-4
11. De-Deus G, Arruda TE, Souza EM, Neves A, Magalhaes K, Thuanne E, et al. The ability of the Reciproc R25 instrument to reach the full root canal working length without a glide path.*Int Endod J.* 2013;46:993-8.
12. De-Deus G, Moreira EJ, Lopes HP, Elias CN. Extended cyclic fatigue life of F2 ProTaper instruments used in reciprocating movement. *Int Endod J.* 2010;43:1063-8.
13. De-Deus G, Silva EJ, Marins J, Souza E, Neves Ade A, Goncalves Belladonna F, et al. Lack of causal relationship between dentinal microcracks and root canal preparation with reciprocation systems. *J Endod.* 2014;40:1447-50.
14. De-Deus, Gustavo & Silva, Emmanuel & Souza, Erick & Versiani, Marco & Yared, Ghassan & Herrmann, Hans-Willi & Zuolo, Mario. (2022). Reciprocating Movement: Mastering the Mechanical Preparation. 10.1007/978-3-030-84617-6_5.
15. De-Deus, Gustavo & Silva, Emmanuel & Souza, Erick & Versiani, Marco & Zuolo, Mario. (2022). The Glide Path Matter. 10.1007/978-3-030-84617-6_3.

16. Dhingra A, Nagar N, Sapra V. Influence of the glide path on various parameters of root canal prepared with WaveOne reciprocating file using cone beam computed tomography. *Dent Res J (Isfahan)*. 2015;12:534-40.
17. Franco V, Fabiani C, Taschieri S, Malentacca A, Bortolin M, Del Fabbro M. Investigation on the shaping ability of nickel-titanium files when used with a reciprocating motion. *J Endod*.2011;37:1398-401.
18. Gambarini G, Rubini AG, Al Sudani D, Gergi R, Culla A, De Angelis F, et al. Influence of different angles of reciprocation on the cyclic fatigue of nickel-titanium endodontic instruments.*J Endod*. 2012;38:1408-11.
19. Garcia-Font M, Duran-Sindreu F, Morello S, Irazusta S, Abella F, Roig M, et al. Postoperative pain after removal of gutta-percha from root canals in endodontic retreatment using rotary or reciprocating instruments: a prospective clinical study. *Clin Oral Investig*. 2018;22:2623-31.
20. Gavini G, Caldeira CL, Akisue E, Candeiro CT, Kawakami DA. Resistance to flexural fatigue of Reciproc R25 files under continuous rotation and reciprocating movement. *J Endod*.2012;38:684-7.
21. Gavini, G.; Santos, M.D.; Caldeira, C.L.; Machado, M.E.D.L.; Freire, L.G.; Iglecias, E.F.; Peters, O.A.; Candeiro, G.T.D.M. Nickel-titanium instruments in endodontics: A concise review of the state of the art. *Braz. Oral. Res*. 2018, 32, 44–65.
22. Haapasalo M, Shen Y. Evolution of nickel-titanium instruments: from past to future. *Endod Topics* 2013;29:3-17. <https://doi.org/10.1111/etp.12049>
23. Haikel Y, Serfaty R, Bateman G, Senger B, Alleman C. Dynamic and cyclic fatigue of engine-driven rotary nickel-titanium endodontic instruments. *J Endod* 1999;25:434-440. [https://doi.org/10.1016/S0099-2399\(99\)80274-X](https://doi.org/10.1016/S0099-2399(99)80274-X)
24. Hancock, H.; Sigurdsson, A.; Trope, M.; Moiseiwitsch, J. Bacteria isolated after unsuccessful endodontics treatment in a Nort American population. *Oral. Surg. Oral. Med. Oral. Pathol. Oral. Radiol. Endod*. 2001, 91, 579–586.
25. ISO. International Organization for Standardization ISO 3630-1. Dental root canal instruments: part 1-files, reamers, barbed broaches, rasps, paste carriers, explorers and cotton broaches. Geneva: International Organization for Standardization; 1992
26. Kiefner P, Ban M, De-Deus G. Is the reciprocating movement per se able to improve the cyclic fatigue resistance of instruments? *Int Endod J*. 2014;47:430-6.
27. Kostı E, Zinelis S, Lambrianidis T, Margelos J. A comparative study of crack development in stainless-steel hedstrom files used with step-back or crown-down techniques. *J Endod*.2004;30:38-41.
28. Lee W, Hwang YJ, You SY, Kim HC. Effect of reciprocation usage of nickel-titanium rotary files on the cyclic fatigue resistance. *Aust Endod J*. 2013;39:146-50.
29. Liu R, Hou BX, Wesselink PR, Wu MK, Shemesh H. The incidence of root microcracks caused by 3 different single-file systems versus the ProTaper system. *J Endod*. 2013;39:1054-6.
30. McGuigan MB, Louca C, Duncan HF. Clinical decision-making after endodontic instrument fracture. *Br Dent J*. 2013;214:395-400.
31. Muñoz E, Forner L, Llena C. Influence of operator's experience on root canal shaping ability with a rotary nickel-titanium single-file reciprocating motion system. *J Endod*. 2014;40:547-50.42. McGuigan MB, Louca C, Duncan HF. The impact of fractured endodontic instruments on treatment outcome. *Br Dent J*. 2013;214:285-9.

32. Neelakantan P, Romero M, Vera J, Daood U, Khan AU, Yan A, Cheung GSP. Biofilms in Endodontics-Current Status and Future Directions. *Int J Mol Sci*. 2017 Aug 11;18(8):1748. doi: 10.3390/ijms18081748. PMID: 28800075; PMCID: PMC5578138
33. Oliveira PS, da Costa KNB, Carvalho CN, Ferreira MC. Impact of root canal preparation performed by ProTaper Next or Reciproc on the quality of life of patients: a randomized clinical trial. *Int Endod J*. 2019;52:139-48.
34. Parashos P, Messer HH. Rotary NiTi instrument fracture and its consequences. *J Endod* 2006;32:1031-1043. <https://doi.org/10.1016/j.joen.2006.06.008>
35. Pedulla E, Grande NM, Plotino G, Gambarini G, Rapisarda E. Influence of continuous or reciprocating motion on cyclic fatigue resistance of 4 different nickel-titanium rotary instruments. *J Endod*. 2013;39:258-61.
36. Pedulla E, Leanza G, La Rosa GRM, Gueli AM, Pasquale S, Plotino G, et al. Cutting efficiency of conventional and heat-treated nickel-titanium rotary or reciprocating glide path instruments. *Int Endod J*. 2020;53:376-84.
37. Plotino G, Ahmed HM, Grande NM, Cohen S, Bukiet F. Current Assessment of Reciprocation in Endodontic Preparation: A Comprehensive Review--Part II: Properties and Effectiveness. *J Endod*. 2015 Dec;41(12):1939-50. doi: 10.1016/j.joen.2015.08.018. Epub 2015 Oct 23. PMID: 26480824.
38. Ree, Marga, and Richard S. Schwartz. "The endo-restorative interface: current concepts." *Dental Clinics of North America* 54.2 (2010): 345-374.
39. Roane JB, Sabala CL, Duncanson MG Jr. The "balanced force" concept for instrumentation of curved canals. *J Endod*. 1985 May;11(5):203-11. doi: 10.1016/S0099-2399(85)80061-3. PMID: 3858415.
40. Rodrigues E, De-Deus G, Souza E, Silva EJ. Safe Mechanical Preparation with Reciprocation Movement without Glide Path Creation: Result from a Pool of 673 Root Canals. *Braz Dent J*. 2016 Jan-Feb;27(1):22-7. doi: 10.1590/0103-6440201600334. PMID: 27007340.
41. Schäfer E, Schulz-Bongert U, Tulus G. Comparison of hand stainless steel and nickel titanium rotary instrumentation: a clinical study. *J Endod* 2004;30:432-5. <https://doi.org/10.1097/00004770-200406000-00014>
42. Schafer, E.; Burklein, S. Impact of nickel-titanium instrumentation of the root canal on clinical outcomes: A focused review. *Odontology* 2012, 100, 130–136.
43. Schilder H. Cleaning and shaping the root canal. *Dent Clin North Am*. 1974 Apr;18(2):269-96. PMID: 4522570
44. Schilder, H. (1967) Filling root canals in three dimensions. *Dental Clinics of North America*, 11, 723-744.
45. Schweitzer, Jordan. (2009). The Endodontic diagnostic puzzle. *General dentistry*. 57. 560-7; quiz 568.
46. Shemesh H, Bier CA, Wu MK, Tanomaru-Filho M, Wesselink PR. The effects of canal preparation and filling on the incidence of dentinal defects. *Int Endod J*. 2009;42:208-13.
47. Shen Y, Coil JM, Mo AJ, Wang Z, Hieawy A, Yang Y, et al. WaveOne rotary instruments after clinical use. *J Endod*. 2016;42:186-9.
48. Silva EJ, Vieira VT, Hecksher F, dos Santos Oliveira MR, dos Santos Antunes H, Moreira EJ. Cyclic fatigue using severely curved canals and torsional resistance of thermally treated reciprocating instruments. *Clinical oral investigations*. 2018 Feb 1:1-6.

49. Siqueira Junior JF. Endodontic infections: concepts, paradigms, and perspectives. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 2002 Sep;94(3):281-93. <https://doi.org/10.1067/moe.2002.126163>
50. Ungerechts C, Bårdsen A, Fristad I. Instrument fracture in root canals-what? A study from a student clinic. *Int Endod J.* 2014;47:183-90.
51. Vadhana S, SaravanaKarthikeyan B, Nandini S, VelmuruganN. Cyclic fatigue resistance of RaCe and Mtwo rotary files in continuous rotation and reciprocating motion. *J Endod.* 2014;40:995-9.
52. Yared G. Canal preparation using only one Ni-Ti rotary instrument: preliminary observations. *Int Endod J.* 2008 Apr;41(4):339-44. doi: 10.1111/j.1365-2591.2007.01351.x. Epub 2007 Dec 12. PMID: 18081803.
53. Zheng L, Ji X, Li C, Zuo L, Wei X. Comparison of glide paths created with K-files, PathFiles, and the ProGlider file, and their effects on subsequent WaveOne preparation in curved canals. *BMC Oral Health.* 2018;18:152.
54. Zuolo ML, Carvalho MC, De-Deus G. Negotiability of second mesiobuccal canals in maxillary molars using a reciprocating system. *J Endod.* 2015;41:1913-7.